

- [1]** Chen, H.Z., Kao, M.C., Young, S.L., Yu, C.C., Lin, C.H., Lee, C.M., Ou, C.R., 2009. Effects of annealing atmosphere on microstructure and ferroelectric properties of selenium-doped Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub> thin films prepared by sol-gel method. *Thin Solid Films*
- [2]** Shemirani, F., Baghdadi, M., Ramezani, M., Jamali, M.R., 2005. Determination of ultra trace amounts of bismuth in biological and water samples by electrothermal atomic absorption spectrometry (ET-AAS) after cloud point extraction. *Anal.Chim.Acta* 534, 163–169.
- [3]** Thirupathi, P., Kim, S.S., 2009. Three components synthesis of homoallylic amines catalyzed by bismuth(III) nitrate pentahydrate. *Tetrahedron* 65 (27), 5168–173.
- [4]** Habashi, F., 2008. Arsenic, antimony, and bismuth production. *Encyclopedia of Materials: Science and Technology*, pp. 332–336.
- [5]** Jorgenson, J.D., 2003. U.S Geological Survey. *Mineral Commodity Summaries*, p.37.
- [6]** Reyes-Aguilera, J.A., Gonzalez, M.P., Navarro, R., Saucedo, T.I., Avila-Rodriguez, M., 2008. Supported liquid membranes (SLM) for recovery of bismuth from aqueous solutions. *J. Membr. Sci.* 310, 13–19.
- [7]** Donaldson, E.M., Wang, M., 1986. Determination of silver, antimony, bismuth, copper, cadmium and indium in ores, concentrates and related materials by atomic absorption spectrophotometry after methyl isobutyl ketone extraction as iodides. *Talanta* 33 (3), 233–242.
- [8]** Yang, J.G., Yang, J.Y., Tang, M.T., Tang, C.B., Liu, W., 2009. The solvent extraction separation of bismuth and molybdenum from a low grade bismuth glance flotation concentrate. *Hydrometallurgy* 96 (4), 342–348.
- [9]** Campos, K., Domingo, R., Vincent, T., Ruiz, M., Sastre, A.M., Guibal, E., 2008. Bismuth recovery from acidic solutions using Cyphos IL-101 immobilized in a composite biopolymer matrix. *Water Res.* 42, 4019–4031.
- [10]** Chabani, M., Amrane, A., Bensmaili, A., 2007. Kinetics of nitrates adsorption on Amberlite IRA-400 resin. *Desalination* 206, 560–567.
- [11]** Gautam, M., Puri, B.K., 1979. Spectrophotometric determination of bismuth, cobalt, and nickel after extraction of their acetates with molten naphthalene. *Mikrochim. Acta* I 515–523.
- [12]** Kocaoba, S., Akcin, G., 2005. Removal of chromium (III) and cadmium (II) from aqueous solutions. *Desalination* 180, 151–156.
- [13]** Belkhouche, N., Didi, M.A., Taha, S., Farès, N.B., 2009. Zinc rejection from leachate solutions of industrial solid waste— effects of pressure and concentration on nanofiltration membrane performance. *Desalination* 239, 58–65.
- [14]** Seyhan, S., Merdivan, M., Demirel, N., 2008. Use of o-phenylenedioxydiacetic acid impregnated in Amberlite XAD resin for separation and preconcentration of uranium (VI) and thorium (IV). *J. Hazard. Mater.* 152, 79–84.

- [15]** Benamor, M., Bouariche, Z., Belaid, T., Draa, M.T., 2008. Kinetic studies on cadmium ions by Amberlite XAD7 impregnated resins containing di(2-ethylhexyl) phosphoric acid as extractant. *Sep. Purif. Technol.* 59, 74–84.
- [16]** Cortina, J.L., Warshawsky, A., 1997. Developments in solid–liquid extraction by solvent impregnated resins. In: Marinsky, J.A., Marcus, Y. (Eds.), *Ion Exchange and Solvent Extraction*, vol. 13. Marcel Dekker, New York, p. 195.
- [17]** Taher, M.A., Rezaeipour, E., Afzali, D., 2004. Anodic stripping voltammetric determination of bismuth after solid-phase extraction using amberlite XAD-2 resin modified with 2- (5-bromo-2-pyridylazo)-5-diethylaminophenol. *Talanta* 63, 797–801.
- [18]** Draa, M.T., Belaid, T., Benamor, M., 2004. Extraction of Pb(II) by XAD7 impregnated resins with organophosphorus extractants (DEHPA, IONQUEST 801, CYANEX 272). *Sep. Purif. Technol.* 40, 77–86.
- [19]** Belkhouche, N., Didi, M.A., Villemin, D., 2005. Separation of nickel and copper by solvent extraction using di-2-ethylhexyl phosphoric acid-based synergistic mixture. *Solvent Extr. Ion Exch.* 23 (5), 677–693.
- [20]** Navarro, R., Saucedo, I., Núñez, A., Ávila, M., Guibal, E., 2008. Cadmium extraction from hydrochloric acid solutions using Amberlite XAD-7 impregnated with Cyanex 921 (tri-octyl phosphine oxide). *React. Funct. Polym.* 68 (2), 557–571.
- [21]** Métallurgie extractive - Hydrométallurgie Référence M2235, 10 sept. 2000 Pierre-Emmanuel CHARPENTIER, Laurent RIZET]
- [22]** Chromatographie sur gel, Filtration, Permeation, tamisage moléculaire, (manuel de laboratoire) traduit de l'Allemand par Nguyen-Dang Tam ; Masson & C<sup>ie</sup>, Paris (France), 1969.
- [23]** Emiliankoller, Aide-mémoire Génie chimique 2<sup>ème</sup> édition, Dunod, Paris (France), 2004.
- [24]** Joseph Lieto, le génie chimique à l'usage des chimistes, Lavoisier, 2<sup>ème</sup> édition, 2004.
- [25]** Belkhouche, N., Thèse de doctorat, extraction liquide liquide et par membrane liquide supportée de métaux lourds par des extractants organophosphorés synthétisés sous irradiation micro-ondes ETUDE DE L'effet synergique 2006
- [26]** Sarangi, K., Das. R. P., *Hydrometallurgy.*, 71 (2004) 335-342.
- [27]** Merbel. N., *J Chromatogr. A.*, 856 (1999) 55.
- [28]** Papin. R, *Techniques d'ingénieur, Traité de procédés unitaires, Adsorption*, J2730-1, J2730-2, J2730-5, J2730-9.
- [29]** Turner, C., *Modern extraction techniques food and agricultural samples*, ACS symposium series 926, American chemical society, Washington, Dc (2006)

**[30]** Ibanez, J. G., H.Esparza, M., Serrano, C. D., Infante A. F., and Singh M. M.; Environmental Chemistry; Springer Science, New York, 2007

**[31]**- [www.extraction](http://www.extraction) liquide, liquide

**[32]**- [fr.wikipedia.org/wiki/Extraction liquide](http://fr.wikipedia.org/wiki/Extraction_liquide) , liquide.

**[33]** Christian, G. D., Analytical chemistry, Ed John Willey and Sons, chap. 16 (1994)

**[34]**- J. L. Cortina et col., Reactive&FunctionalPolymers 32, p. 221 , (1997)

**[35]**- A. G. Strikovskiy, K. Jerabek et col.; Reactive & Functional polymers 28, p. 149, (1996).

**[36]**- M. Cox; 12<sup>th</sup> Romanian international conference on chemistry and chemical engineering, 13-15 September 2001, Bucharest – Romania, (2001).

**[37]**- F. De Dardel, Techniques d'ingénieur, Traité de procédés unitaires, Echange d'ion Principe de base, J2783-1, J2783-9.

**[38]**- Mémento Technique de l'eau, Tome1, Edition du cinquantenaire, chap.3 (1989).

**[39]**- thèse doctorat O .abdrrahim étude de l'extraction liquide solide de différents métaux par résines imprégnées de D2EHPA /TOPO par l'acide polyéthylèneimine méthylène phosphonique étude comparative

**[40]**- I. Narin, M. Soylak; Talanta 60, p. 215, (2003).

**[41]**- M. Kanayama, R. Kizawa, H. Tada; ; Jap. Patent; AN 2003:907379, CAN 139:382951, (2003).

**[42]**- R. S. Juang; Proc. Natl. Sci. Coun. ROC(A), 23(3), , p. 353, (1999).

**[43]**- M. Merdivan, M. R. Buchmeiser, G. Bonn; AnalyticaChimicaActa 402, p. 91, (1999).

**[44]**- M. Akhila Maheswari, M.S. Subramanian; Talanta 65, p. 735, (2005).

**[45]**- Draa, M.T., Belaid, T., Benamor, M., 2004. Extraction of Pb(II) by XAD7 impregnated resins with organophosphorus extractants (DEHPA, IONQUEST 801, CYANEX 272). Sep. Purif. Technol. 40.

**[46]**-(G. H. Jeffery and Coll. Vogel's, TextBook of Quantitative chemical analysis, ED(5), 1989, p684, p177)

**[47]**- J. S. Park, C. Han, J. Y. Lee, et col.; Separation and Purification Technology 43, p. 111, (2005).

**[48]**- J. L. Bonardet, S. Esteban, G. Cote; Mathematical and Physical Sciences, 491(Physical Adsorption: Experiment, Theory and Applications), p. 579, (1997).

**[49]**- N.ferrah ,OAbderrahim,M.A .Didi et alRemoval of copper ions from aqueous solutions by a new sorbent: Polyethyleneimine méthylène phosphonique acid

- [50]**- Nasr-EddineBelkhouche, Mohamed Amine Didi Extraction of Bi(III) from nitrate medium by D2EHPA impregnated onto AmberlitXAD-118 Hydrometallurgy. 103 (2010) 60-67
- [51]**- D. C. [Cox](#), S. D. P. [Moore](#); [Journal of Bioenergetics and Biomembranes](#) 34(5), p. 333, (2002).
- [52]**- F. Godea, E. Pehlivanb; Journal of Hazardous Materials B119, p. 175, (2005).
- [53]**- G. Guainai-Ricci, S. Rosini; Eur. Pat.; AN 1992:592073; CAN 117:192073 (1992)
- [54]**- lotion capillaire au bismuth
- [55]**- J. L. Cortina et col.; Hydrometallurgy ' 94, SCI, Chapman & Hall, p. 725, (1994).
- [56]**- R. S. Juang, et J. Y. Su, Ind. Eng. Chem. Res., 31, p. 2774, (1992).
- [57]**- Y. Shue, C. J. F. Du, M. H. Chiou et col.; U. S. patent, AN 2004:142897, CAN 140:180246, (2004)
- [58]**- S. Esteban, J. L. Bonardet, G. Cote; Special Publication - Royal Society of Chemistry 213 (Characterisation of Porous Solids IV), p. 467, (1997).
- [59]**- S. Baytaka, A. R. Türkerb; Talanta 65, p. 938, (2005).
- [60]**- P. K. Tewati, A. K. Singh; Talanta 56, p. 735, (2002).
- [61]**- N. Kabaya, M. Ardab, A. Trochimczuk, M. Streatd; Reactive & Functional Polymers 59, p. 9, (2004).
- [62]**- W. Jennes, L. M. T. Dicks, D. J. Verwoerd; Journal of Applied Microbiology 88(2), p. 349, (2000).
- [63]**- J. Rye, H. G. Kim, S. H. Won, S. M. Hwang et col.; KongopHwahak, 14(5), p. 650, (2003).
- [64]**- P. D'arrigo, G. P. Fantoni, S. Servi, A. Strini ; Tetrahedron: Asymmetry 8(14), p. 2375, (1997).
- [65]**- M. Taube, J. Inorg. Nucl.Chem. 12 (1959) 174.
- [66]**- S. Acharya and A. Nagak, Hydrometallurgy. 19 (1988) 309.
- [67]**- S. Hideo, K. Yoshikazu et col.; International Journal of Polymeric Materials 54(4), p. 257, (2005).
- [68]**- R. Osiecka, K. M. Janas; Physiology and Biochemistry 36(11), p. 805, (1998).
- [69]**- M. A. DIDI, A. Elias, A. Azzouz et col. des agents Extractantsorganophosphorés;; Science & Technologie; Edition OPU; Algérie, (2004).
- [70]**- P. J. Forth, E. M. B. A. jeunieux et col.; U. S. Patent ; AN 2002 :736354, CAN 137 :249528, (2002).

- [71]-** T. Umeda, K. HIROSE, H. Kisshioka; Jap. Patent; AN 1997:587228, CAN 127:264157, (1997).
- [72]-** H. Kuwamoto, S. Iwado, Y. Koga and col.; Ger. Offen.; AN 1988:425124, CAN 109:25124, (1988).
- [73]-** M. Kanayama, R. Kizawa, H. Tada; ; Jap. Patent; AN 2003:907379, CAN 139:382951, (2003).
- [74]-** R. R. Navarro, K. Tatsumi; separation science and technology 37(1), p. 203, (2002).
- [75]-** H. Amar, J. Benzakour, D. Villeminet col.; Journal of Electroanalytical Chemistry 558, p. 131, (2003).
- [76]-** G. Gunasekaran, R. Natarajanet col.; Anti-Corrosion Methods and Materials 44(4), p. 248, (1997).
- [77]-** M. Takeuchi, S. Tanaka et M. Yamawaki; Journal of Nuclear Materials 247, p. 203, (1997).
- [78]-** A. EliAS, Thèse de doctorat d'état es-sciences, université de Tlemcen - Algérie (2--003).
- [79]-** N. Belkhouche, Thèse de Magister, Chimie, Univ. ABB-Tlemcen-Algérie, (2001)
- [80]-** J. L. Cortina, N. Miralles et col.; Solvent Extr. Ion Exch. 12, p. 371, (1994).
- [81]-** S. K. Akita, T. Maeda et H. Takeuchi ; J. Chem. Eng. Jpn. 27, p. 126, (1994)
- [82]-** S. G. Luque et M. Streat ; Hydrometallurgy 11, p. 227, (1983).
- [83]-** G.M. Ritcey et col.; Solvent extraction metallurgy, Ed. Elsevier, 1984. Part. I, p. 87 et p. 146, (1984).
- [84]-** Pascal, Nouveau traité de chimie organique, Vol. X, Ed. Masson et Cie, Paris, p. 930, (1956).
- [85]-** K. L. Cheng, K. Ueno et T. Imamura, "Hand book of Organic analytical reagents", Ed. CRC Press INC Florida, USA, p. 439, (1982).
- [86]-** D; Phillips, J. Scotneyet col.; Coloration Technology 118 (6), p. 277, (2002)
- [87]-** R. S. Juang, et J. Y. Su, Ind. Eng. Chem. Res., 31, p. 2774, (1992).
- [88]-** J. L. Cortina, N. Miralles, A. M. Sastre, M. Aguilar et col.; Hydrometallurgy 37(3), p. 301, (1995).
- [89]-** J. S. Park, C. Han, J. Y. Lee, et col.; Separation and Purification Technology 43, p. 111, (2005).
- [90]-** A. N. Turanov, V. K. Karandashev, A. N. Yarkevich; Radiochemistry 44(6), p. 565, (2002).
- [91]-** S. Baytaka, A. R. Türkerb; Talanta 65, p. 938, (2005).
- [92]-** [Bismuth, propriétés chimiques, effets sur la santé et l'environnement \[archive\]](#)
- [93]-** lotion capillaire au bismuth
- [94]-** R. prunet, D. Bourdinet D. Prévotau. Structure de la matière, Chimie inorganique. Sciences et technologies de laboratoire., Edition (1996).
- [95]-** D. R. Lide. Handbook of Chemistry and Physics., (2002) 11-62, 11-98.

- [96]**-C. S. G. Phillips, R. J. P Williams, V. Hérault. Chimie minérale, Tome II, Métaux. Paris., (1971).
- [97]**-J. C. Jungers, L. Sajus. L'analyse cinétique de la transformation chimique, Tome I, Edition paris., (1968).
- [98]**- G. Altmayer ; Métallurgie du cuivre et alliages de cuivre.\_Edité par BAILLIERE, Paris (France), 1925.
- [99]**-G.Charlot, Dosages aborptiométriques des elements minéraux. (1978) 182.
- [100]**-G.Charlot, les réactions chimiques en solution aqueuse et caractérisation des ions. (1983) 257.
- [101]**-(G. H. Jeffery and Coll. Vogel's, TextBook of Quantitative chemical analysis, ED(5), 1989, p684, p177)
- [102]**- Juang, R.S., Su, J.Y., 1992. Sorption of copper and zinc from aqueous sulfate solutions with bis(2-ethylhexyl)phosphoric acid-impregnated macroporous resin. Ind. Eng. Chem. Res. 31 (12), 2774–2779.
- [103]**- Nasr-Eddine Belkhouche, Mohamed Amine Didi Extraction of Bi(III) from nitrate medium by D2EHPA impregnated onto Amberlit XAD-118 Hydrometallurgy. 103 (2010) 60-67
- [104]**- E.A.El-Sofany\*, Removal of lanthanum and gadolinium from nitrate medium using Aliquat-336 impregnated onto Amberlite XAD-4.(2007)951.
- [105]**- Elsie M. Donaldson, [Spectrophotometric determination of bismuth in concentrates and non-ferrous alloys by the iodide method after separations by diethyldithiocarbamate and xanthate extraction](#) *Talanta, Volume 25, Issue 3, March 1978, Pages 131-136*
- [106]**- Assaad, E., Azzouz, A., Nistor, D., Ursu, A.V., et al., 2007. Metal removal through synergic coagulation–flocculation using an optimized chitosan–monmorillonite system. *Appl. Clay Sci.* 37, 258–274.-
- [107]**- Anant P. Argekar , Ashok K. Shetty. Extraction of lead(II) with cyanex 302 and its spectrophotometric determination with PAR. *Talanta* 45 (1998) 909–915
- [108]**- Elham Y. Hashem. Spectrophotometric studies on the simultaneous determination of cadmium and mercury with 4-(2-pyridylazo)-resorcinol. *Spectrochimica Acta Part A* 58 (2002) 1401–1410
- [109]**- McKevitt, B., Dreisinger, D., 2009. A comparison of various ion exchange resins for the removal of ferric ions from copper electrowinning electrolyte solutions Part II: electrolytes containing antimony and bismuth. *Hydrometallurgy* 98 (1–2), 122–127.
- [110]**- J.L Cortina, R Arad-Yellin, N Miralles, A.M Sastre, A Warshawsky - [Kinetics studies on heavy metal ions extraction by Amberlite XAD2 impregnated resins containing a bifunctional organophosphorous extractant](#) Original Research Article *Reactive and Functional Polymers, Volume 38, Issues 2-3, 1 November 1998, Pages 269-278*

- [111]**- A.kadouse Etude de l'extraction liquide-solide de différents métaux par des résines imprégnées de D2EHPA/TOPO et par l'acide polyéthylèniméthylène Phosphonique. Etude comparative THESE DOCTORAT 2011  
acid
- [112]**- N.ferrah ,OAbderrahim,M.A .Didi et al Removal of copper ions from aqueous solutions by a new sorbent: Polyethyleneiminemethylenephosphonic acid
- [113]**- McKevitt, B., Dreisinger, D., 2009. A comparison of various ion exchange resins for the removal of ferric ions from copper electrowinning electrolyte solutions Part II: electrolytes containing antimony and bismuth. *Hydrometallurgy* 98 (1–2), 122–127.
- [114]**- Belkhouche, N., Didi, M.A., Romero, R., Jonsson, J.Åke., Villemin, D., 2006. Study of new organophosphorus derivatives carriers on the selective recovery of M (II) and M (III) metals using supported liquid membrane extraction. *J. Membr. Sci.* 284, 398–405.
- [115]**- K.J. Laidler, *Chemical Kinetics*, McGraw Hill, London, 1975, pp. 11
- [116]**- A.M. El-Kamash, N.S. Awad, A.A. El-Sayed, *Arab. J. Nuc. Sci. Appl.* 38 (1), (2005) 44-49
- [117]**- Y.S. Ho, G. McKay, *Process Biochem.* 34 (5), (1999) 451-465
- [118]**- W.J. Weber, J.M. Morris, *J. Sanit Eng. Div. Am. Soc. Eng.* 89 (1963) 31-60
- [119]**- N.K. Lazaridis, T.D. Karapantsios, D. Georgantas, *Water Res.* 37 (2003) 3023-3033
- [120]**- M. Alkan, O. Demirbas, S. Alikcapa, M. Dogan, *J. Hazard. Mater.* 116 (1-2), (2004) 135-145
- [121]**- F.J. Alguacil, *J. Chem. Research S.* 3 (2003) 144-146

